Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	53	delay$ with interrupt$ with((cpu processor)near4(sleep$ asleep$ suspen$ inactiv$ inoperat$ state status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 22:01
S2	367	interrupt$ with((cpu processor)near4(sleep$ asleep$ inactiv$ inoperat$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:37
S3	360	S2 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 17:11
S4	355	S3 and(@ad<"20031211" @prad<"20031211" @rlad<"20031211")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:01
S5	56692	((cpu processor)near4(sleep$ asleep$ suspen$ inactiv$ inoperat$ state status activity operati$))near5(detect$ identif$ indicat$ determin$ evaluat$ monitor$ recei$ check$3 communicat$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 21:33
S6	1358	(interrupt near3(level priority threshold))near5(adjust$ assign$ readjust$ reassign$ chang$3 vary$ vari$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:14
S7	7	S5 with S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 20:40
S8	28	(S5 same S6)not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 20:44
S9	388	(S5 and S6)not(S8 S7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 20:44

S10	387	S9 and(@ad<"20031211" @prad<"20031211" @rlad<"20031211")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 20:45
S11	231	S10 and("710"/$3 "713"/$3 "712"/$3).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:53
S12	37154	(delay$ hold$3 wait$3 before prior)near5 interrupt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 21:30
S13	108534	((cpu processor)near4(sleep$ asleep$ suspen$ inactiv$ inoperat$ state status activity operative mode condition))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 21:35
S14	723	(S12 with S13)not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 21:36
S15	666	S14 not S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 21:36
S16	221	S15 and("710"/$3 713/3$2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 22:09
S17	20915	(processor cpu (processing adj unit)host)near3((activity operati$ running current power)near2(state status condition mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:38
S18	3974	(recei$ monitor$ detect$ evaluati$ check$ identif$)near5 S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:51
S19	1	S6 same S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 22:05

S20	36	S6 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 22:05
S21	68	(S18 with interrupt) and("710"/$3 713/3$2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 22:09
S22	3	S6 with S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:11
S23	6	(S6 same S17)not S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:11
S24	11825	(interrupt near3(level priority threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:14
S25	6	S18 same S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:22
S26	29153	(issu$ generat$)near5 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:23
S27	57	S18 same S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:47
S28	1938	(monitor$ detect$ evaluati$ check$)near2 S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:40
S29	69	S28 same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/24 23:53

S30	86651	(processor cpu (processing adj unit))near3((activity state status condition mode)inoperati$ sleep asleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:02
S31	18148	(monitor$ detect$ evaluat$ check$3 recei$)near4 S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:41
S32	13158	(adjust$ delay$ reassign assign$ readjust$ postpon$ chang$3)near5 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 17:44
S33	271	S30 with S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 18:39
S34	2	2000322270$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 18:04
S35	4	"2001331329"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 18:07
S36	35	(S31 same S32)not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 18:44
S37	272	(S30 same S32)not(S33 S36)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 18:44
S38	3029	(processor cpu (processing adj unit))near5(inoperati$ sleep asleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:03
S39	12459	(interrupt interruption)near2(level priority threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:03

S40	8	S38 with S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:46
S41	2	"5557777".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:38
S42	12	(S38 same S39)not S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:48
S43	5862	read$3 near4 S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:48
S44	30	S32 same S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/25 19:49
S45	263	peripheral near5(adjust$ readjust$ chang$4 modif$ configur$ delay$ hold$3)near4 interrupt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:29
S46	32091	(cpu processor)near2(status state activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 09:59
S47	4	S45 same S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 18:56
S48	84	((cpu processor)same S45)not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:00
S49	83	S48 and(@ad<"20031211" @prad<"20031211" @rlad<"20031211")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:07

S50	6	S45 and 713/3$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 19:07
S57	55586	(cpu processor (processing adj(unit apparatus device)))near3(status state activity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:34
S58	36726	(adjust$ readjust$ chang$4 modif$ configur$ delay$ hold$3)near4 interrupt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:01
S59	284	S57 with S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:01
S60	275	S59 and(@ad<"20031211" @prad<"20031211" @rlad<"20031211")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:02
S61	2875	S57 near4(transmi$ recei$ broadcast$ detect$ monitor$ communicat$)near3(power opera$4 activity current)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 10:41
S62	14	S58 same S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:07
S63	59	S61 with peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 11:11
S64	29	S63 and interrupt$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 15:44
S65	2	"20050132096"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/29 18:29

S66	16919	(set setting chang$3)near5(lowest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:45
S67	74	S66 with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:41
S68	538	(interrupt)near3(lowest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:45
S69	4	S68 with after	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:46
S70	15	S68 near3(setting set chang$3 alter$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:51
S71	1418	interrupt near3 (priority level)near3(setting set chang$3 alter$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:52
S72	99	S71 and(roundrobin (round adj robin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/30 15:53